



Contribution ID: 184

Type: Poster

Implications of new physics in semileptonic $b \rightarrow cl\bar{\nu}_l$ transitions.

Tuesday, 18 October 2022 17:20 (1 minute)

Recently, various indications of lepton non-universality have been remarked in semileptonic B meson decay processes, both in the neutral-current ($b \rightarrow sll$) and charged-current ($b \rightarrow cl\bar{\nu}_l$) transitions. Influenced by these fascinating quotients, we examined the semileptonic decays involving the $b \rightarrow cl\bar{\nu}_l$ quark level transitions. We executed it through a model independent analysis in order to survey the nature of new physics. Taking into consideration the most general effective Hamiltonian, we introduce $\Lambda_b \rightarrow \Lambda_c \tau \bar{\nu}_\tau$, $B_c^+ \rightarrow \eta_c \tau^+ \nu_\tau$, and $B \rightarrow D^{**} \tau \bar{\nu}_\tau$ (where $D^{**} = \{D_0^*, D_1^*, D_1, D_2^*\}$ are the four lightest excited charm mesons) processes, in the presence of new physics. We conducted a global fit to different sets of new coefficients, counting the measurements on R_D , R_{D^*} , $R_{J/\Psi}$, $P_\tau^{D^*}$, and the upper limit on $\text{Br}(B_c^+ \rightarrow \tau^+ \nu_\tau)$. We express the inferences of constrained new couplings on the branching ratios, forward-backward asymmetry, lepton non-universality ratios (LNU), lepton and hadron polarization asymmetry of these decay modes with respect to q^2 .

Primary authors: Ms BHATTA, AISHWARYA (UNIVERSITY OF HYDERABAD); Prof. MOHANTA, RUKMANI (University of Hyderabad)

Presenter: Ms BHATTA, AISHWARYA (UNIVERSITY OF HYDERABAD)

Session Classification: BBQ - Drinks & Posters