



MUSE Overview

Ron Gilman

PRP and MUSE Physics Experiment Overview

This work is supported by the National Science Foundation, grants PHY-1913653 and 2209348 to Rutgers University.


The MUSE experiment is supported by the U.S. Department of Energy, the U.S. National Science Foundation, the Paul Scherrer Institute, and the US-Israel Binational Science Foundation.



Proton Radius Puzzle and MUSE Physics

Reminder: origin of PRP

- 2010: PRP arises
- 2013: confirmed in 2nd muonic hydrogen experiment




μp 2013: Antognini *et al.*,
Science **339**, 417 (2013)

Jlab: Zhan *et al.*, *PLB*
705, 59-64 (2011)

Mainz: Bernauer *et al.*,
PRL **105**, 242001 (2010)

μp 2010: Pohl *et al.*,
Nature **466**, 213 (2010)

Many hydrogen results over past several years - new experiments and re-analyses




- CODATA '06 (2008)
- Bernauer (2010)
- Pohl (2010)
- Zhan (2011)
- CODATA '10 (2012)
- Antognini (2013)
- Beyer (2017)
- Fleurbaey (2018)
- Sick (2018)
- Mihovilović (2019)
- Alarcón (2019)
- Bezninov (2019)
- Xiong (2019)
- Grinin (2020)
- Brandt (2022)

MUSE (future) ?

CODATA 18 not shown here

Includes muonic H.

Poor internal consistency: Only one point within 1σ of average




- CODATA'06 (2008)
- Bernauer (2010)
- Pohl (2010)
- Zhan (2011)
- CODATA'10 (2012)
- Antognini (2013)
- Beyer (2017)
- Fleurbay (2018)
- Sick (2018)
- Mihovilović (2019)
- Alarcón (2019)
- Bezninov (2019)
- Xiong (2019)
- Grinin (2020)
- Brandt (2022)

MUSE (future) ?

CODATA 18 not shown here

Will also keep muonic hydrogen on each slide for reference.

ep scattering also inconsistent - will show at the cross section level




- CODATA'06 (2008)
- Bernauer (2010)
- Pohl (2010)
- Zhan (2011)
- CODATA'10 (2012)
- Antognini (2013)
- Beyer (2017)
- Fleurbay (2018)
- Sick (2018)
- Mihovilović (2019)
- Alarcón (2019)
- Beznikov (2019)
- Xiong (2019)
- Grinin (2020)
- Brandt (2022)

MUSE (future) ?

CODATA 18 not shown here

Will also keep muonic hydrogen on each slide for reference.

Analyses inconsistent, even between different groups reanalyzing same scattering data




- CODATA'06 (2008)
- Bernauer (2010)
- Pohl (2010)
- Zhan (2011)
- CODATA'10 (2012)
- Antognini (2013)
- Beyer (2017)
- Fleurbaey (2018)
- Sick (2018)
- Mihovilović (2019)
- Alarcón (2019)
- Bezninov (2019)
- Xiong (2019)
- Grinin (2020)
- Brandt (2022)

MUSE (future) ?

CODATA 18 not shown here

Will also keep muonic hydrogen on each slide for reference.

All results shown before with anticipated MUSE uncertainty arbitrarily placed at 0.88 fm.




- CODATA'06 (2008)
- Bernauer (2010)
- Pohl (2010)
- Zhan (2011)
- CODATA'10 (2012)
- Antognini (2013)
- Beyer (2017)
- Fleurbaey (2018)
- Sick (2018)
- Mihovilović (2019)
- Alarcón (2019)
- Bezninov (2019)
- Xiong (2019)
- Grinin (2020)
- Brandt (2022)

MUSE (future) ?


CODATA 18 not shown here

Will also keep muonic hydrogen on each slide for reference.

Unresolved issue: disagreement at cross section / form factor level of PRad vs. Mainz




Unresolved issue: disagreement at cross section / form factor level of PRad vs. Mainz




MUSE view:
 Could be an issue in the experiment(s).
 Could be an issue in the radiative corrections — kinematics are very different.

Unresolved issue: disagreement at cross section / form factor level of PRad vs. Mainz



Unresolved issue: disagreement at cross section / form factor level of PRad vs. Mainz



MUSE uncertainties sufficient to distinguish PRad vs. Mainz

Rev. Mod. Phys., Vol. 93, No. 2, April–June 2021

0251

Eite Tiesinga *et al.*: CODATA recon

The tension between the two approaches determining r_p and r_d has not been fully resolved. In fact, to obtain consistency among the many input data that contribute to the determination of R_∞ , r_p , and r_d , a multiplicative expansion factor of 1.6 is applied to their uncertainties. Further experiments are needed.

CODATA 2018 (2021) inflates uncertainties by 1.6, says that **further experiments are needed**.

MUSE view: treating all experimental results as having equally (fractionally) wrong uncertainties is only justified by convenience.


Evaluations of the current state of the PRP

REVIEWS OF MODERN PHYSICS, VOLUME 94, JANUARY–MARCH 2022


The proton charge radius

H. Gao 

*Department of Physics, Duke University and the Triangle Universities Nuclear Laboratory,
Science Drive, Durham, North Carolina 27708, USA*

M. Vanderhaeghen 

*Institut für Kernphysik and PRISMA⁺ Cluster of Excellence, Johannes Gutenberg Universität,
D-55099 Mainz, Germany*

 (published 21 January 2022)

the muonic hydrogen results. We believe more experiments, especially those with improved precision from electron scattering, and new results from muon scattering will be essential to fully resolve this puzzle. To answer a more provocative question, whether there is a difference in the proton charge radius determined from experiments involving electronic (e - p and ordinary hydrogen) versus muonic systems, significantly improved precision from lepton scattering and also measurements from ordinary hydrogen spectroscopy with precision comparable to that of Grinin *et al.* (2020) will be critical. Pushing the precision frontier has more than once proven to be the harbinger of new discoveries.

Note efforts towards
PRad-II at JLab

Proton Radius Workshops and PREN Meetings:
Trento, Mainz, Losinj, Paris (2012,'14,'16,'18, '19, '22)

Latest meeting:

PREN, Paris, 2022: <https://indico.mitp.uni-mainz.de/event/308/>

- CODATA now quote $r_p = (0.8414 \pm 0.0019)$ fm including **all** values
- Small uncertainties on μ H measurements push CODATA towards lower value
- Discrepant results not explained
 - ✓ Discussions on fitting – varying viewpoints remain
 - ✓ Inconsistency between PRad and Mainz results
 - ✓ No explanation of larger / medium atomic H results
- Should understand why the PRP exists / existed
- To date, no measurements of muon elastic scattering of sufficient precision

Proton Radius Workshops and PREN Meetings:
Trento, Mainz, Losinj, Paris (2012,'14,'16,'18, '19, '22)

Latest meeting:

PREN, Paris, 2022: <https://indico.mitp.uni-mainz.de/event/308/>


- CODATA now quote $r_p = (0.8414 \pm 0.0019)$ fm including **all** values
- Small uncertainties on μ H measurements push CODATA towards lower value
- Discrepant results not explained
 - ✓ Discussions on fitting – varying viewpoints remain
 - ✓ Inconsistency between PRad and Mainz results
 - ✓ No explanation of larger / medium atomic H results
- Should understand why the PRP exists / existed
- To date, no measurements of muon elastic scattering of sufficient precision

MUSE and AMBER (2023 test planned)

Comment:

- With some newer ep results consistent with muonic hydrogen, casual observers tend to assume the larger radius ep results are wrong (no explanation needed) and accept the muonic hydrogen radius.
- Those in the field tend to see unresolved issues and the need for additional measurements.
- There is a problem at the cross section level with the scattering measurements.
- There is no clear agreement on spectroscopy.

Radiative Corrections Workshop: E. Cline, lead organizer



RADIATIVE CORRECTIONS FROM MEDIUM TO HIGH ENERGY EXPERIMENTS




18 July 2022 — 22 July 2022 Hybrid/Mixed


<https://indico.ectstar.eu/event/146/>

Two MUSE talks:
S Strauch: Radiative Corrections for the MUSE Experiment
R Gilman: Two Photon Exchange at MUSE

Several theory talks related to MUSE, by N Kaiser, F Myhrer, G Paz, A Signer and Y Ulrich



- Comparison of ep and μp cross section statistical uncertainty, systematic better than 0.5%
- The MUn scattering Experiment at PSI (MUSE), MUSE Technical Design Report, arXiv:1709.09753 [physics.ins-det]




- Investigation of e^+/e^- , μ^+/μ^-
- Direct measurement of 2-photon effects

Experiment Overview


MUSE Experiment Overview

- Low beam flux
 - ✓ Large solid angle, non-magnetic detectors
- Secondary beam
 - ✓ Tracking of beam particles to target
- Mixed beam
 - ✓ Identification of beam particle in trigger



$\theta \approx 20^\circ - 100^\circ$
 $Q^2 \approx 0.002 - 0.07 \text{ GeV}^2$
 up to 3.3 MHz beam flux
 $\approx 2\text{-}15\% \mu\text{'s}$
 $\approx 10\text{-}98\% e\text{'s}$
 $\approx 0\text{-}80\% \pi\text{'s}$

Platform being craned



- Target interruptions in 2021
 - Implement target mitigation measures and have PSI review
- STT incident in 2021
 - Implement STT interlock measures and have PSI review
- Hardware readiness report by June 30, 2022
- Analysis Report by December 1, 2022

- Target interruptions in 2021
 - Implement target mitigation measures and discussed with PSI ✓
- STT incident in 2021
 - Implement STT interlock measures and discussed with PSI ✓
- Hardware readiness report by June 30, 2022 ✓
- Analysis Report by December 1, 2022 ✓

- Upgrades to simulation: digitization...
- Target chamber exit post veto detector
 - T. Rostomyan (PSI/MUSE), S. Strauch (MUSE), F. Barchetti (PSI), M. Gantert (PSI), A. Hofer (PSI), M. Hildebrandt (PSI)
- Blinded analysis in use
- High voltage supplies upgraded to new CAEN system
- Petabyte disk systems (upgradeable)

New CAEN HV system purchased by GW, UM, PSI, and USC.
~1 PB storage system purchased by ANL and RU.
Spare Mesytec CFDs and QDCs purchased by GW and RU.

- **Beam Time:** July 25th – Aug 24th: test and calibration measurements
- **Beam Time:** Sep 19th – Dec. 19th: set up and data-taking
- **New Article Published:** *Characterization of muon and electron beams in the Paul Scherrer Institute PiM1 channel for the MUSE experiment*, E. Cline *et al.* Phys. Rev. C **105**, 055201 (2022)
- **Featured at Town Meetings for NSAC Long Range Plan:** QCD & Fundamental Symmetries, Neutrons and Neutrinos
- **Several Conference Talks:** APS April Meeting; International Workshop on New Scientific Opportunities with the TRIUMF ARIEL e-linac; PREN-2022; ECT* Workshop “Radiative Corrections from medium to high-energy experiments”; CIPANP 22; QNP22; PSI2022; NSTAR 2022; APS DNP

Events taken (millions) during fall 2022 and 2021 runs

| Momentum (MeV/c) | LH2 (millions) | Empty Cell (millions) | Calibration (millions) |
|---------------------|-------------------|--------------------------|---------------------------|
| 115 (2022) | 120 | 80 | 50 |
| -115 (2022) | 110 | 80 | 50 |
| 160 (2022) | 110 | 80 | 70 |
| -160 (2022) | 110 | 80 | 70 |
| 210 (2022) | 110 | 70 | 60 |
| -210 (2022) | 60 | 40 | 50 |
| 115 (2021) | 470 | 340 | 140 |
| -115 (2021) | 320 | 160 | 85 |

Note: O(1%) of these are scattering from target

During 2022 beam times:

- 2 full-time MUSE personnel based at PSI + ~ 5 visitors (on average) during beam times to work shifts, etc.
- 2 shift workers, one on site and one remote, was common
- Always one LH2 target expert on-site at PSI, when target cooled

During 2023 runs:

- Plan similar staffing arrangements

new, since BVR53

departed / departing before BVR55

MUSE Student / Postdoc Overview

Students:

- Graduated: Lin Li (USC), Dan Cohen (HUJI), Orion Yeung (RU, MS)
- Intended 2023 graduation: Jesmin Nazeer (HU), Shraddha Dogra (RU), Win Lin (RU)
- Senior: Tanvi Patel (HU), Haley Reid (UM)
- Junior: Subham Das (RU), Anne Flannery (USC), Rachel Ratvasky (GW), Kyle Salamone (SBU), Dvir Yaari (HUJI)

Postdocs:

- Alexander Golossanov (HU via Basel, to March 2023)
- Ethan Cline (SBU, ~50%)
- Hamza Atac (TU, ~50%)
- Ievgen Lavrukhin (UM, ~50%)
- Matthew Nicol (USC)
- Stefan Lukenheimer (UM, via Basel)

% given for 3 postdocs with significant commitments to other experiments during 2023, other postdocs are full-time MUSE

Grants starting 2022:

- Rutgers (R Gilman) - NSF renewal
- Temple (N Sparveris) - DOE renewal

Grants proposals 2022, for start in 2023:


- Stony Brook (J Bernauer) - NSF renewal
- George Washington (E Downie) - NSF renewal

- Analysis: various upgrades / calibrations, re-analyzing data
- Some hardware work, mainly “maintenance”, outlined in status report and mentioned in the following talks
- Requested 6 months of beam time - we can support this long a run
- Strong preference for contiguous beam time (start of data taking after late Sep 2022 move into PiM1 plagued by lots of unexpected issues, took longer than expected)

Today's Review Schedule

- Overview: Ron Gilman
- Simulation: Steffen Strauch
- Analysis I: Win Lin
- Coffee Break
- Analysis II: Ethan Cline
- Hardware and 2023 Plans: Paul Reimer and Ievgen Lavrukhin

Subsequently: shown to be a $Z = 1$ problem



- ❑ Muonic deuterium agrees with muonic hydrogen, ed scattering
- ❑ (not shown) Muonic $4He$ agrees with electronic helium: Krauth *et al.*, Nature **589**, 527 (2021)