



Contribution ID: 41

Type: Poster

## Magnetic Characterization Proposal of a 6.6 T Superconducting Wavelength Shifter for a Hard X-Rays Synchrotron Beamline

We present recent developments in characterization approaches for a superconducting wavelength shifter currently being developed for the Brazilian Sirius synchrotron light source. The insertion devices will exhibit 6.6 T peak field with a 7 mm cryogenic magnetic gap leading to a 5 mm vertical gap inside the electron beam chamber. A primary approach based on an anti-cryostat chamber currently being developed is presented along with further developments and considered approaches involving the use of scan coils and in-vacuum printed circuit boards.

**Primary authors:** PINTO, Fernanda Alves Menicucci (Brazilian Center for Research in Energy and Materials); SILVA, João Henrique Ramos (Brazilian Center for Research in Energy and Materials); BASILIO, Reinaldo (Brazilian Center for Research in Energy and Materials); IWAMOTO, Bruno Hashinokuti (Brazilian Center for Research in Energy and Materials); DA SILVA, Milton Batista (Brazilian Center for Research in Energy and Materials); Dr FRANCISCO, Lucas Henrique (Brazilian Center for Research in Energy and Materials)

**Presenter:** PINTO, Fernanda Alves Menicucci (Brazilian Center for Research in Energy and Materials)