

Optical Band Gap Tuning in Mixed B-site and X-site Aziridinium Perovskites

Friday, November 8, 2024 4:30 PM (3 minutes)

Three-dimensional hybrid perovskites containing the aziridinium cation (AzrH)BX₃ (where AzrH = aziridinium, B is Pb²⁺ or Sn²⁺ and X = Cl⁻, Br⁻ or I⁻) exhibit semiconductive properties, making them suitable candidates for photovoltaic applications. Small changes in the composition of perovskites are shown to have a defining impact on optoelectronic properties of the reported materials. This study reports the possibility of optical band gap fine-tuning through mixing metals ((AzrH)Pb_xSn_{1-x}Br₃ series) or halogens ((AzrH)PbBr_xI_{3-x} series). All the obtained mixed perovskites crystallize in the Pm $\bar{3}$ m space group at room temperature saving their 3D structure. The optical band gap of mixed-metal perovskites varies non-linearly from 1.96 eV to 2.46 eV, while halogen substitution tunes the band gap within the 1.57–2.23 eV range, as measured by electronic spectroscopy. Additionally, phase transitions and powder X-ray diffraction were used to characterize the structural properties of these compounds. The results expand the scope of hybrid perovskites with tunable band gaps beyond conventional methylammonium and formamidinium-based systems, introducing a new series of metal-halide hybrids with potential applications in photovoltaic and optoelectronic technologies.

Type of presence

Presence at Taras Shevchenko National University

Primary author: PETROSOVA, Hanna (Taras Shevchenko National University of Kyiv)

Co-authors: Dr KUCHERIV, Olesia (Taras Shevchenko National University of Kyiv); Mr GALELUK, Dmytro (Taras Shevchenko National University of Kyiv); SHOVA, Sergiu ("Petru Poni" Institute of Macromolecular Chemistry); GURAL'SKIY, Il'ya (Taras Shevchenko National University of Kyiv)

Presenter: PETROSOVA, Hanna (Taras Shevchenko National University of Kyiv)

Session Classification: Poster Session