

Contribution ID: 31

Type: Contributed Talk

Multiphoton induced x-ray fluorescence of Fe atoms

Wednesday, 17 September 2014 10:00 (25 minutes)

We report on multiphoton processes involving inner-shell electrons of solid Fe with very intense and ultrashort hard x-ray free-electron laser (XFEL) pulses. The experiment was carried out at the CXI end-station of the Linac Coherent Light Source by means of the high energy resolution x-ray emission technique. The XFEL beam of ~10^12 photons/pulse and pulse energy in the range of 1-4 mJ was focused on the solid Fe sample. The ultra-focused x-ray beam provided an extreme fluence (~10^4-10^5 photons/Å^2). Moving the sample out of the focus along the beam allowed varying the fluence. For the K x-ray emission spectra measurements the bent crystal von Hamos x-ray spectrometer of PSI [1] installed at CXI and equipped with the CSPAD detector developed at SLAC was employed.

To explore the nonlinear interaction of Fe atoms with high-fluence XFEL radiation the photon beam energies were chosen below the Fe K-shell single- and double-ionization thresholds. The K x-ray emission spectra comprising the K α (K^{-1}->L^{{-1}</sub>) diagram lines and the rich satellite structures due to the multiphoton induced multiple ionization, as well as the K α ^h hypersatellite (K^{-2}->K^{-1}L^{{-1}</sub>) transitions, were measured as a function of the XFEL fluence. The obtained results evince the nonlinear two-photon processes leading to K-shell ionization, and the K-shell hollow atom formation following sequential two-photon absorption.

[1] J. Szlachetko et al., Rev. Sci. Instrum. 83, 2012, 103105.

Primary author: Dr HOSZOWSKA, Joanna (Department of Physics, University of Fribourg, CH-1700 Fribourg, Switzerland)

Co-authors: Prof. PATTERSON, Bruce (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr DAVID, Christian (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr MILNE, Christopher (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Prof. CHANTLER, Christopher. T. (School of Physics, University of Melbourne, Parkville, Victoria 3010, Australia); Dr WILLIAMS, Garth (Linac Coherent Light Source (LCLS), SLAC National Accelerator Laboratory, 94025 California, USA); Dr SMOLENTSEV, Grigory (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr DE PAIVA SA, Jacinto (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr SZLACHETKO, Jakub (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr NACHTEGAAL, Maarten (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr NACHTEGAAL, Maarten (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr NACHTEGAAL, Maarten (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr MESSERSCHMIDT, Marc (Linac Coherent Light Source (LCLS), SLAC National Accelerator Laboratory, 94025 California, USA); Dr ABELA, Rafael (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr BOUTET, Sébastien (Linac Coherent Light Source (LCLS), SLAC National Accelerator Laboratory, 94025 California, USA); Mr BLACHUCKI, Wojciech (Department of Physics, University of Fribourg, CH-1700 Fribourg, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER, Yves (Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr KAYSER

Presenter: Dr HOSZOWSKA, Joanna (Department of Physics, University of Fribourg, CH-1700 Fribourg, Switzerland)

Session Classification: Matter under extreme Conditions

Track Classification: Matter u. extreme Conditions