



Contribution ID: 114

Type: Talk

Intense paramagnon excitations in a large family of high-temperature superconductors

Saturday, 17 September 2011 13:50 (30 minutes)

Motivated by the search for the mechanism of high-temperature superconductivity, an intense research effort has been focused on the evolution of the spin excitation spectrum upon doping from the antiferromagnetic (AF) to the superconducting states of the cuprates. Because of technical limitations, however, the experimental investigation of doped cuprates has been largely focused on low energy excitations (<100 meV) in a small range of momentum space. Here we use RIXS to show that a large family of superconductors, encompassing the model compound YBa₂Cu₃O₇, exhibits damped spin excitations - paramagnons - with dispersions and spectral weights similar to those of magnons in undoped AF cuprates over much of the Brillouin zone. This is in excellent agreement with the spin excitations obtained by exact diagonalization of the t-J Hamiltonian on finite-sized clusters. A numerical solution of the Eliashberg equations based on our experimental findings for YBa₂Cu₃O₇ reproduces its TC within a factor of two. The discovery of a well-defined, surprisingly simple spin excitation branch over a wide range of doping levels thus strongly supports magnetic Cooper pairing models for the cuprates.

Please specify the session

RIXS

Please specify poster or talk

Talk

Primary author: Dr LE TACON, M (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany)

Co-authors: Prof. KEIMER, B (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany); Dr MONNEY, C (Swiss Light Source, Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr LIN, CT (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany); Dr KHALIULLIN, G (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany); Dr DE LUCA, GM (CNR-SPIN, Complesso MonteSantangelo via Cinthia, I-80126 Napoli, Italy, Universita di Napoli Federico II, I-80126 Napoli, Italy); Dr CHALOUPKA, J (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany); Dr ZHOU, KJ (Swiss Light Source, Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr BRAICOVICH, L (CNR-SPIN, Dipartimento di Fisica, Politecnico di Milano, I-20133 Milano, Italy); Dr GHIRINGHELLI, M (CNR-SPIN, Dipartimento di Fisica, Politecnico di Milano, I-20133 Milano, Italy); Dr MINOLA, M (CNR-SPIN, Dipartimento di Fisica, Politecnico di Milano, I-20133 Milano, Italy); Dr MORETTI SALA, M (CNR-SPIN, Dipartimento di Fisica, Politecnico di Milano, I-20133 Milano, Italy); Dr SALLUZZO, M (CNR-SPIN, Complesso MonteSantangelo via Cinthia, I-80126 Napoli, Italy, Universita di Napoli Federico II, I-80126 Napoli, Italy); Dr HAVERKORT, MW (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany); Dr BLANCO-CANOSA, S (CNR-SPIN, Dipartimento di Fisica, Politecnico di Milano, I-20133 Milano, Italy); Dr SCHMITT, T (Swiss Light Source, Paul Scherrer Institut, CH-5232 Villigen PSI, Switzerland); Dr HINKOV, V (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany and Quantum Matter Institute, University of British Columbia, Vancouver, V6T1Z1, Canada)

Presenter: Dr LE TACON, M (Max-Planck-Institut für Festkörperforschung, D-70569 Stuttgart, Germany)

Session Classification: Resonant Inelastic and Elastic X-ray Scattering

Track Classification: Resonant Inelastic and Elastix X-ray Scattering