JUM@P '11: Joint Users' Meeting at PSI 2011



Contribution ID: 98

Type: Poster

Novel Imaging Approach for Quantitative Morphometry of Nano-Cellulose Scaffolds

Thursday, 15 September 2011 13:37 (2 minutes)

Bacterial-derived nano-cellulose (NC) is a novel material with promising biomedical applications. We focus on its potential as a non-biodegradable scaffold for cartilage tissue-engineering (TE). NC is composed of a mesh of cellulose nano-fibrils. For TE it is important to control porosity and interconnectivity to facilitate cell migration. The aim of this study was to identify a 3D imaging protocol for quantifying pore size and interconnectivity.

Samples were quenched in LN2 and freeze-dried. Phase-contrast was performed at the TOMCAT beamline with a modified Bronnikov algorithm (MBA) at 10 keV with a 4x (1.85 μ m, 3.7 x 3.7 mm2) and 20x objective (0.37 μ m, 0.75 x 0.75 mm2). Average pore size of macropores (Ø125 μ m) and micropores (<Ø5 μ m) were identified with the 4x and 20x objective, respectively.

Since dry NC behaves as a pure phase object (no absorption), MBA is an ideal method. In this work, NC can be easily segmented, and pore size can be obtained by distance transformation. Therefore phase-contrast X-ray tomography with MBA is a promising 3D imaging protocol for characterization of the porosity of NC.

Please specify poster or talk

talk

Please specify the session

Imaging

Primary authors: Dr STOK, Kathryn (ETH Zurich); Mr NIMESKERN, Luc (ETH Zurich); Dr SCHNEIDER, Philipp (ETH Zurich); Prof. MÜLLER, Ralph (ETH Zurich)

Co-authors: Mr MARTINEZ, Hector (Chalmers University of Technology); Prof. GATENHOLM, Paul (Chalmers University of Technology)

Presenter: Mr NIMESKERN, Luc (ETH Zurich)

Session Classification: Poster session I and lunch

Track Classification: Poster Session I (Thursday)